




# Govt Of Karnataka Karnataka Residential Educational Institutions Society

K  
R  
E  
I  
S



class  
**10**



SSLC  
SUCCESS  
STEPS

Mathematics



<b>Sl.No</b>	<b>Name</b>	<b>Phone Number</b>	<b>School Code</b>	<b>School Address</b>
1	Venktachala N	9538904081	KRCRS-391	KRCRS, Honnayakanahalli, Channapatna Tq. & Dt.Ramanagar
2	Raghavendra	8861740720	KRCRS-485	KRCRS VADDANAKATTI TQ:SANDUR BALLERY
3	Chetana S H M	9741707654	MDRS-328	MDRS MODALAGHATTHA TQ:HADAGALI DT: BALLARY
4	Akshata K	9741360212	BC-142	MDRS Machina Belathangady Dakshina Kannada
5	Ravi.M	9008680654	SC74	MDRS, Mallanayakanahalli Tq. Kunigal Dt. Tumukur
6	Jaganath J	9901507095	GM-105	MDRS Mullegudda Nanjangudu Mysuru
7	Aparna Kukunur	9480263272	SC-183	MDRS, Tumbakere Mandya
8	Shahanawaz Maniyar	9538012268	SC-794	DBRS,Chabbi, Tq.Hubli,Dt.Dharwad
9	Praveenkumar Vastrad	8748069613	SC-498	KRCS,Hosalli Koppal
10	Chetankumar T P	7975664316	ST-27	IGRS SIDDAPUR TQ:HOSADURGA DT:CHITRDURGA
11	Aparana Bhatta	9008854159	SC-171	MDRS Kalathur TQ.Kaup Dt. Udupi

## INDEX

Sl. No	Topic	Page Number	Possibility of marks
1.	Theorems on Triangle	4&5	4-5+1(Statement)
2.	Theorems on Circle	5	3
3.	Construction	6to8	9
4.	Ogive curve	9to10	3
5.	Elimination and graphical method	10to12	7
6.	Mean, median and mode	12to13	3
7.	Quadratic equation (Formula and nature of roots)	14	4
8.	Co-ordinate geometry	15	7
9.	Arithmetic Progression	15 to 16	6
10	Formula	16	3
		<b>Total</b>	<b>50</b>
11	(Weakly Two exam) Target 45 question Paper-1,2,3,4	17 to19	
12	Target 45 Question Paper-5,6,7,8,9	18 to21	

**THEOREM(7 to 8 marks)**


**Theorem 1 : Thales Theorem OR Basic Proportionality Theorem**

“A line drawn parallel to one side of a triangle divides the other two sides in the same ratio”.

**Data :** In  $\Delta ABC$ ,  $DE \parallel BC$ .

**To Prove :**  $\frac{AD}{DB} = \frac{AE}{EC}$

**Construction :** Draw  $DM \perp AC$  and  $EN \perp AB$ .



**Proof :** 
$$\frac{\text{Area of } \Delta ADE}{\text{Area of } \Delta BDE} = \frac{\frac{1}{2} \times AD \times EN}{\frac{1}{2} \times DB \times EN} = \frac{AD}{DB} \text{ -----} \rightarrow (1)$$

$$\frac{\text{Area of } \Delta ADE}{\text{Area of } \Delta DEC} = \frac{\frac{1}{2} \times AE \times DM}{\frac{1}{2} \times EC \times DM} = \frac{AE}{EC} \text{ -----} \rightarrow (2)$$

$\Delta BDE$  and  $\Delta DEC$  stand on the same base  $DE$  and between the same parallel lines  $DE$  and  $BC$ .  $\therefore$  Area of  $\Delta BDE =$  Area of  $\Delta DEC$

So from equations (1) and (2), we have  $\frac{AD}{DB} = \frac{AE}{EC}$ . Hence proved.


**Theorem 2 (A A Criterion):**

“If the corresponding angles of two triangles are equal, then their corresponding sides are in the same ratio”

**Data :** In  $\Delta ABC$  and  $\Delta DEF$ ,  $\angle A = \angle D$ ,  $\angle B = \angle E$  and  $\angle C = \angle F$

**To Prove :**  $\frac{AB}{DE} = \frac{AC}{DF} = \frac{BC}{EF}$

**Construction:** Mark the points  $X$  and  $Y$  on  $AB$  and  $AC$  such that  $AX = DE$  and  $AY = DF$ .



**Proof :** In  $\Delta AXY$  and  $\Delta DEF$ ,  
 $\angle A = \angle D$  [By data]  
 $AX = DE$  [By Construction]  
 $AY = DF$  [By construction]  $\Rightarrow \Delta AXY \cong \Delta DEF$  [SAS congruence]  
 $\therefore \angle X = \angle E$  [CPCT]  $\Rightarrow \angle B = \angle E$ .  $\therefore \angle X = \angle B \Rightarrow XY \parallel BC$

$$\frac{AB}{AX} = \frac{AC}{AY} = \frac{BC}{XY}$$
 [Corollary of B.P.T]

$$\frac{AB}{DE} = \frac{AC}{DF} = \frac{BC}{EF}$$
 [By Substitution]. Hence proved.


**Theorem 3(Areas of Similar Triangles)**

“The areas of two similar triangles are proportional to the squares of their corresponding sides”.

**Data:**  $\Delta ABC \sim \Delta DEF$

$$\frac{AB}{DE} = \frac{AC}{DF} = \frac{BC}{EF}$$

**To Prove:** 
$$\frac{\text{Area of } \Delta ABC}{\text{Area of } \Delta DEF} = \frac{BC^2}{EF^2}$$



**Construction:** Draw  $AL \perp BC$  and  $DM \perp EF$ .

**Proof :** 
$$\frac{\text{Area of } \Delta ABC}{\text{Area of } \Delta DEF} = \frac{\frac{1}{2} \times BC \times AL}{\frac{1}{2} \times EF \times DM} = \frac{BC}{EF} \times \frac{AL}{DM} \text{ -----} \rightarrow (1)$$

In  $\Delta ABL$  and  $\Delta DEM$ ,  $\angle B = \angle E$  By data  $\angle L = \angle M$  [Right angles]

$\therefore \Delta ABL \sim \Delta DEM$  [AA Criterion]

$$\frac{AB}{DE} = \frac{BL}{EM} = \frac{AL}{DM}$$
; But  $\frac{AB}{DE} = \frac{BC}{EF}$ ;  $\frac{AB}{DE} = \frac{BC}{EF} \text{ -----} \rightarrow (2)$


Substitute (2) in (1)  $\frac{\text{Area of } \Delta ABC}{\text{Area of } \Delta DEF} = \frac{BC^2}{EF^2}$  Hence proved.

**Theorem 4(Pythagoras Theorem):**

“In a right angled triangle, the square on the hypotenuse is equal to the sum of the squares on the other two sides”

**Data :**  $ABC$  is a right angled triangle,  $\angle B = 90^\circ$

**To Prove :**  $AC^2 = AB^2 + BC^2$



**Construction :** Draw  $BD \perp AC$ .

**Proof :** In  $\Delta ABC$  and  $\Delta ADB$ ,  
 $\angle A = \angle A$  [Common angles]  
 $\angle B = \angle D$  [Right angles]  
 $\therefore \Delta ABC \sim \Delta ADB$  [AA Criterion]

$$\frac{AB}{AD} = \frac{BC}{DB} = \frac{AC}{AB}$$
  $AB^2 = AC \times AD$ ----- (1)

Similarly, In  $\Delta ABC$  and  $\Delta BDC$ ,  $\angle C = \angle C$   
[Common angles]  $\angle B = \angle D$  [Right angles]

$$\therefore \Delta ABC \sim \Delta BDC$$
 [AA Criterion]  $\Rightarrow \frac{AB}{BD} = \frac{BC}{DC} = \frac{AC}{BC}$


$BC^2 = AC \times DC$ ----- (2) Adding equations (1) and (2),

$AB^2 + BC^2 = AC \times AD + AC \times DC = AC(AD + DC) = AC \times AC$

$AB^2 + BC^2 = AC^2$  Hence proved.

**Theorem 5 (Converse of Pythagoras Theorem):**

**In a triangle, if square of one side is equal to the sum of the squares of the other two sides, then the angle opposite the first side is a right angle.**



**Data :** In a triangle ABC in which

$$AC^2 = AB^2 + BC^2$$

**To Prove :**  $\angle B = 90^\circ$ .

**Construction:** To start with, we construct a  $\Delta PQR$  right angled at Q such that  $PQ = AB$  and  $QR = BC$ .

**Proof :** Now, from  $\Delta PQR$ , we have :  $PR^2 = PQ^2 + QR^2$  (Pythagoras

Theorem, as  $\angle Q = 90^\circ$ ) or,

$$PR^2 = AB^2 + BC^2 \text{ (By construction)----- (1)}$$

$$\text{But } AC^2 = AB^2 + BC^2 \text{ (Given)----- (2)}$$

$$\text{So, } AC = PR \text{ -----(3)}$$

[From (1) and (2)]

Now, in  $\Delta ABC$  and  $\Delta PQR$ ,

$$AB = PQ \text{ (By construction)}$$

$$BC = QR \text{ (By construction)}$$

$$AC = PR \text{ [Proved in (3) above]}$$

So,  $\Delta ABC \cong \Delta PQR$  (SSS congruence)


Therefore,  $\angle B = \angle Q$  (CPCT)

But  $\angle Q = 90^\circ$  (By construction)  $\Rightarrow$  So,  $\angle B = 90^\circ$

**Circle theorem 1**

**“The tangent at any point of a circle is perpendicular to the radius drawn at the point of contact”.**

**Data:** O is the centre of the circle .XY is the tangent to the circle at the point P .OP is the radius drawn at the point of contact P.



**To Prove :**  $OP \perp XY$ .

**Construction :** Take a point Q on XY .Join OQ.

**Proof :**  $OQ = OR + RQ \Rightarrow OQ = OP + RQ$  ( $OP = OR$ )

$$\Rightarrow OQ > OP \Rightarrow \therefore OQ \text{ is longer than } OP.$$

So, OP is the smallest distance of the point O from the line XY.

$$\therefore OP \perp XY.$$


Hence proved.

**Circle theorem 2**

**“The two tangents drawn from an external point to a circle are equal”.**

**Data :** O is the centre of the circle .P is an external point .

AP and BP are tangents to the circle.



**To Prove :**  $AP = BP$

**Proof :** In  $\Delta AOP$  and  $\Delta BOP$ ,

$$\angle OAP = \angle OBP \quad [\text{Right angles}]$$

$$OA = OB \quad [\text{Radii of the same circle}]$$

$$OP = OP \quad [\text{Common side}]$$

$$\therefore \Delta AOP \cong \Delta BOP \quad [\text{RHS Theorem}]$$


$$\therefore AP = BP \quad [\text{C.P.C.T}]$$

Hence proved.

## CONSTRUCTIONS (TARGET 9marks)

### TO DIVIDE THE LINE SEGMENT IN THE GIVEN RATIO

- 1) Draw a line segment of length 7 cm and divide it in the ratio of 2:1



#### STEPS:

1. Draw a line AB with the measure 7 cm
2. Draw a line AX such that it makes an acute angle.
3. Make  $2+1=3$  equal parts on AX.
4. Join last part  $A_3$  to B.
5. Draw a parallel line  $A_2C$  to  $A_3B$

AC: CB = 2:1


### I CAN DO IT

- 2) Draw a line segment AB of length 8 cm and divide it in the ratio of 3:2.
- 3) Draw a line segment of length 7.6 cm and divide it in the ratio of 4:2. Measure the two parts.
- 4) Draw a line segment of length 12 cm and divide it in the ratio of 5:2
- 5) Draw a line segment of length 9 cm and divide it in the ratio of 3:4

### CONSTRUCTION OF TANGENTS TO A CIRCLE

Type 1 : Angle between the radii is given.

- 1) Draw a pair of tangents to a circle of radius 3 cm, such that the radii are inclined at an angle  $140^\circ$ .



RP and RQ are the tangents.

#### STEPS :

- 1) Draw a circle of radius 3 cm.
- 2) Make an angle of  $140^\circ$  between the radii OP and OQ.
- 3) Draw perpendicular line at P and Q and produce to intersect at R.
- 4) RP and RQ are the tangents.


### I CAN DO IT

- 1) Draw a pair of tangents to a circle of radius 5 cm, such that the radii are inclined at an angle  $60^\circ$
- 2) Draw a pair of tangents to a circle of radius 5 cm, such that the radius is inclined at an angle  $125^\circ$
- 3) Draw a pair of tangents to a circle of radius 3.5 cm, such that the radii are inclined at an angle  $80^\circ$
- 4) Draw a pair of tangents to a circle of radius 4 cm, such that the radii are inclined at an angle  $75^\circ$  . and write the measure of its length.
- 5) Draw a pair of tangents to a circle of radius 3 cm, such that the radii are inclined at an angle  $70^\circ$ .

Type 2 : Angle between the tangents is given.

- 1) Draw a pair of tangents to a circle of radius 5 cm, which are inclined at an angle of  $60^\circ$ . Measure the length of the tangents.

Angle between the radii =  $180^\circ - 60^\circ = 120^\circ$



PA and PB are the tangents

#### STEPS:

- 1) Draw a circle of radius 5 cm
- 2) Make  $120^\circ$  between radii OA and OB.
- 3) Draw perpendicular line at A and B and produce to intersect at P.
- 4) PA and PB are the tangents


### I CAN DO IT

- 2) Draw a pair of tangents to a circle of radius 3.5cm, such that the angle between the tangents is  $90^\circ$
- 3) Draw a pair of tangents to a circle of radius 4cm, which are inclined at an angle of  $120^\circ$
- 4) Draw a pair of tangents to a circle of radius 3cm, which are inclined at an angle of  $60^\circ$
- 5) Draw a pair of tangents to a circle of radius 3cm, which are inclined at an angle of  $70^\circ$

- 6) Draw a pair of tangents to a circle of radius 3.5 cm, which are inclined at an angle of  $80^\circ$
- 7) Draw a pair of tangents to a circle of diameter 6 cm, which are inclined at an angle of  $55^\circ$
- 8) Draw a pair of tangents to a circle of radius 3.5 cm, which are inclined at an angle of  $80^\circ$
- 9) Draw a pair of tangents to a circle of radius 4 cm, which are inclined at an angle of  $100^\circ$
- 10) Draw a pair of tangents to a circle of radius 5 cm, which are inclined at an angle of  $60^\circ$ . Measure the length of the tangents.

### Type 3 : Construction of tangents on the circumference of the circle

- 1) Draw a circle of radius 2.5 cm and Construct a chord of length 3 cm. and Draw the tangents at the end points of the chord.



PA and PB are the tangents.

#### STEPS:


- 1) Draw a circle of radius 2.5 cm
- 2) Draw a chord AB of length 3 cm
- 3) Draw perpendicular line at A and B. Produce them to meet at P.
- 4) PA and PB are the tangents.

### I CAN DO IT

- 2) Draw a circle of radius 5 cm and Construct a chord of length 7 cm. and Draw the tangents at the end points of the chord.
- 3) Construct a tangent to a circle of radius 4 cm at any point P on its circumference.
- 4) Draw a circle of radius 3 cm and draw a diameter AB. Construct the tangents at A and B.
- 5) Draw a circle of radius 3 cm and Construct a chord AB of length 5 cm. and Draw the tangent at point B.
- 6) Draw a circle of radius 4.5 cm and Construct a chord PQ of length 7 cm. and Draw the tangent at the point P.

### Type 2 : Construction of tangents from an external point.

1. Draw a circle of radius 3.5 cm from a point 8 cm away from the center; construct the pair of tangents to the circle. Measure the tangents and write.



Tangents PA= PB= 7.2 cm

#### STEPS:

- 1) Draw a circle of radius 3.5 cm.
- 2) Draw a line segment OP of length 8 cm.
- 3) Draw perpendicular bisector of OP
- 4) With the midpoint of OP as centre draw a circle points O and P on it.
- 5) Join the intersection points A and B to P.
- 6) PA and PB are the tangents.


### I CAN DO IT

1. Draw a circle of radius 5cm. from a point 5cm away from the circle, construct the pair of tangents to the circle.
2. Draw a circle of radius 4cm. from a point 8cm away from the center, construct the pair of tangents to the circle.
3. Draw a circle of diameter 6 cm. from a point 8cm away from the center, construct the pair of tangents to the circle.
4. Draw a circle of radius 3 cm. Take two points P and Q on one of its extended diameters each at a distance of 7 cm from its centre. Draw tangents to the circle from these two points P and Q.
5. 6) Draw two concentric circles of radii 3 cm and 5 cm. Taking a point on the outer circle, construct the pair of tangents to the inner circle.
6. Draw two concentric circles of radii 3 cm and 5 cm. Construct a tangent to smaller circle from a point on the larger circle. Also measure its length.

## Construction of Similar Triangles

Type 1: When proper fraction (ratio) given :

- 1) Construct a triangle of sides 4 cm, 6 cm and 4.5 cm and then a triangle similar to it whose sides are  $\frac{2}{3}$  of the corresponding sides of the first triangle.



$\Delta ABC \sim \Delta AB'C'$

STEPS:


- 1) Draw a triangle ABC with sides 4 cm, 6 cm and 4.5 cm.
- 2) Draw AX such that which makes an acute angle.
- 3) Make equal 3 parts on AX.
- 4) Join 3<sup>rd</sup> point ie A<sub>3</sub> to B.
- 5) Make same measure of angle A<sub>3</sub> at 2<sup>nd</sup> point ie at A<sub>2</sub> Join A<sub>2</sub>B'
- 6) Make same measure of angle B at point B' . Produce C'

**I CAN DO IT**

- 1) Construct a triangle of sides 4 cm, 5 cm and 6 cm and then a triangle similar to it whose sides are  $\frac{2}{5}$  of the corresponding sides of the first triangle.
- 2) Construct a triangle of sides 4 cm, 5 cm and 6 cm and then a triangle similar to it whose sides are  $\frac{5}{7}$  of the corresponding sides of the first triangle.
- 3) Construct a triangle of sides 5 cm, 6 cm and 7 cm and then a triangle similar to it whose sides are  $\frac{3}{5}$  of the corresponding sides of the first triangle.
- 4) Draw a triangle ABC with sides AB = 5 cm, BC = 6 cm and  $\angle ABC = 60^\circ$ . Then construct a triangle whose sides are 2:3 of the corresponding sides of triangle ABC.

Type 2: When improper fraction (ratio) given :

- 1) Draw a triangle ABC with sides AB = 5cm, BC = 4 cm and  $\angle ABC = 60^\circ$ . Then construct a triangle whose sides are  $\frac{7}{5}$  of the corresponding sides of triangle ABC.



$\Delta ABC \sim \Delta AB'C'$

STEPS:

- 1) Draw a triangle ABC with AB= 5 cm, BC= 4 cm and  $\angle ABC = 60^\circ$
- 2) Draw AX such that which makes an acute angle.
- 3) Make equal 7 parts on AX.
- 4) Join 5<sup>th</sup> point ie A<sub>5</sub> to B.
- 5) Make same measure of angle as A<sub>5</sub> in 7<sup>th</sup> point ie at A<sub>7</sub>. Join A<sub>7</sub>B'
- 6) Make same measure of angle B at point B' and Produce to C'

**I CAN DO IT**

- 5) Construct a triangle of sides 5 cm, 6 cm and 7 cm and then a triangle similar to it whose sides are  $\frac{7}{5}$  of the corresponding sides of the first triangle.
- 6) Draw a triangle ABC with sides AB = 6cm, BC = 5cm and  $\angle ABC = 80^\circ$ . Then construct a triangle whose sides are  $\frac{4}{3}$  of the corresponding sides of triangle ABC.



- 7) Construct a triangle ABC with sides AB= 6cm and  $\angle BAC=50^\circ$  and  $\angle ABC=60^\circ$ . Then construct a triangle whose sides are  $\frac{1}{2}$  of the corresponding sides triangle ABC.
- 8) Construct a triangle ABC with sides BC= 4.5cm and AB= 5.5 cm and  $\angle A=55^\circ$ . Then construct a triangle whose sides are  $\frac{5}{2}$  the corresponding sides of triangle ABC.
- 9) Draw a right triangle in which the sides (other than hypotenuse ) are of lengths 8 cm and 6 cm, then construct another triangle whose sides are  $\frac{5}{3}$  of times the corresponding sides of the given triangle.
- 10) Draw a triangle ABC with side base BC= 8 cm and altitude 4 cm, and then construct another triangle whose sides are  $\frac{5}{3}$  times the corresponding sides of the isosceles triangle ABC.
- 11) Draw a right triangle in which the sides (other than hypotenuse ) are of lengths 4 cm and 3 cm, then construct another triangle whose sides are  $\frac{5}{3}$  of times the corresponding sides of the given triangle.
- 12) Construct a triangle of sides 4 cm , 5 cm and 6 cm and then a triangle similar to it whose sides are  $\frac{5}{3}$  of the corresponding sides of the first triangle.


### Ogive Curve: (Target-3marks)

1. Draw more than ogive curve for following data.

CI	0-50	50-100	100-150	150-200	200-250	250-300
f	12	18	27	20	17	6

It should be converted like this.

CI	F	CI	f	(x,y)
0-50	12	More than 0	100	(0,100)
50-100	18	More than 50	88	(50,88)
100-150	27	More than 100	70	(100,70)
150-200	20	More than 150	43	(150,43)
200-250	17	More than 200	23	(200,23)
250-300	6	More than 250	6	(250,6)



Dear students this question can also be asked like this.

CI	More than 0	More than 50	More than 100	More than 150	More than 200	More than 250	More than 300
CF	100	88	70	43	23	6	0


If they given question like this then you can plot graph directly.

2. Same question for less than type draw more than ogive curve for following data.

CI	0-50	50-100	100-150	150-200	200-250	250-300
F	12	18	27	20	17	6

It should be converted like this.

CI	F	CI	f	(x,y)
0-50	12	less than 50	12	(50,12)
50-100	18	less than 100	30	(100,30)
100-150	27	less than 150	57	(150,57)
150-200	20	less than 200	77	(200,77)
200-250	17	less than 250	94	(250,94)
250-300	6	less than 300	100	(300,100)



Dear students this question can also be asked like this.

CI	Less than 0	less than 50	less than 100	less than 150	less than 200	less than 250	less than 300
CF	0	12	30	57	77	94	100

## Pair of Linear Equation in two variables

**Step:1 To get 1mark study this table:  $(a_1x+b_1y=c_1; a_2x+b_2y=c_2)$**

Sl.No	Compare the ratio	Graphical Representation	Algebraic Interpretation	Consistency
1.	$\frac{a_1}{a_2} \neq \frac{b_1}{b_2}$	Lines intersecting	Only one solution i.e(unique solution)	Consistent
2.	$\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{c_2}$	Lines are coincident	Many solution i.e(infinite solution)	Dependent and consistent.
3.	$\frac{a_1}{a_2} = \frac{b_1}{b_2} \neq \frac{c_1}{c_2}$	Lines are parallel	No solution (Zero solution)	Inconsistent

**Step:2 To get 2mark**

**(Solve these linear equation by elimination method):**

**Type 1. Solve  $x+3y=6$  and  $2x-3y=6$ .**

**Solution:**  $x+3y=6$ -----(1)  $2x-3y=6$ -----(2)

Adding these we get

$$x+3y=6$$

$$2x-3y=6$$

$$3x+(0)y=12 \quad 3x=12 \Rightarrow x=\frac{12}{3}; x=4 \Rightarrow \text{consider (1) } x+3y=6 \Rightarrow 4+3y=6$$

$$\Rightarrow 3y=6-4=2 \Rightarrow y=\frac{2}{3}; \text{ So } x=4 \text{ and } y=\frac{2}{3} \text{ are the solution.}$$

**Type 2. Solve  $2x+y-6=0$  and  $6x+2y-4=0$ .**

**Solution:**  $2x+y-6=0 \Rightarrow 2x+y=6$ -----(1)

$6x+2y-4=0 \Rightarrow 6x+2y=4$ -----(2) Here we eliminate y-coordinate. To eliminate y we need to multiply (1) by 2 and subtract.

$$4x+2y=12$$
-----(1)

$$6x+2y=4$$
-----(2)

$$(-) \quad (-) \quad =(-)$$

$$-2x=8 \Rightarrow x=\frac{8}{-2}=-4 \quad x=-4; \text{ substitute in (1) } 2x+y=6$$

$$\Rightarrow 2(-4)+y=6 \Rightarrow -8+y=6 \Rightarrow y=6+8 \Rightarrow y=14 \text{ So } x=-4; y=14 \text{ are the solution.}$$

**Type 3: Solve  $3x+4y=2$  and  $2x-3y=7$ .**

**Solution:**  $3x+4y=2$  -----(1)

$2x-3y=7$  -----(2)

Here both x and y have different coefficients in equations (1) and (2). So make the coefficient of any of the variable (either x or y) to be same in both equations. Multiply equation (1) by 2(co efficient of x in (2)) and equation (2) by 3(co efficient of x in (1)).

$\Rightarrow 6x+8y=4$

$6x-9y=21$

On subtraction

$17y = -17$

$\Rightarrow y = -1$

Now substitute  $y = -1$  in equation (1), we get

$3x+4(-1)=2 \Rightarrow 3x-4=2 \Rightarrow 3x=2+4$

$3x=6 \therefore x=2 \therefore$  The solutions are  $x=2$  and  $y=-1$ .

**Solve the following for X and Y:**

**I CAN DO IT**

**Step3: Graphical solution of pair of linear equation by getting perfect you will get 4marks in your exam:**


**1.Solve the following pair of linear equations in two variables by graphical method : $x + y = 7$  and  $3x - y = 1$**

**Solution: $x+y=7$**

x	0	1	2	3
y	7	6	5	4

**$3x-y=1$**

x	0	1	2	3	4
y	-1	2	5	8	11



Here lines intersect at(2,5) so solution is  $x=2$  and  $y=5$ .


2. Solve the following pair of linear equations in two variables by graphical method :  $y = 2x - 2$  and  $y = 4x - 4$

Solution:  $y = 2x - 2$

x	-1	1	2	3
y	-4	0	2	4

$y = 4x - 4$

x	0	1	2	3	4
y	-4	0	4	8	12



Here lines intersect at (1,0) so solution is  $x = 1$  and  $y = 0$

For practice: Solve these questions by elimination method and also solve by graphical method.\*

$1. 3x + 2y = 1; 5x - 3y = 2$	$2. 5x - 3y = 2; 4x - y = 1$	$3. 2x + 3y = 2; 3x - 1 = 4y$	$4. 5x + y = 1; x - y = 8$
$5. 3x + 2 = y; y - 3 = 4x$	$6. 5x + y = 7; x - 3y = 5$	$7. y - x = 2; 2x - y = -2$	$8. 3x + y = 7; 4x - y = 2$
$9. 3x + 2y = 5; 5x - 3y = 1$	$10. 3x - y = 7; x + 3y = 5$	$11. 4x - y = 3; 3x - 2y = 1$	$12. 2x - y = 7; x - 3 = 4y$
$13. 3x + 5y = 4; x - 5y = 8$	$14. y - x + 2 = 0; x - 2y - 4 = 0$	$15. 2x + y = 3; x + 3y = -10$	$16. y = 2x - 2; y = 4x - 4$
$17. x - y = 4; x + y = 10$	$18. 2x - y - 2 = 0; x + y = 6$	$19. x + y = 10; x - y = 2$	$20. 2x + y = 8; x + 2y = 7$

\* Solve daily one problem from above on elimination method and graphical method to get 6m.

## Mean, Median and Mode : (Target-3marks)

**Mean:** Mean is the ratio of sum of all observations to the total number of observations.

**Median :** The middle most observation in an orderly arranged data distribution is called Median.

**Mode:** The most repeated observation in a data distribution is called Mode.

**Formulae to find mean, median and mode:**

1) **Mean** =  $\frac{\sum fx}{\sum f}$  where 'f' is frequency and 'x' is class mark of class interval

2) **Median** =  $l + \left[ \frac{\frac{n}{2} - cf}{f} \right] \times h$  where

l – Lower limit of median class n- Number of observations h – Class size  
cf – Cumulative frequency of class preceding the median class  
f- Frequency of median class.

**Mode** =  $l + \left[ \frac{f_1 - f_0}{2f_1 - f_0 - f_2} \right] \times h$  where,

l – Lower limit of the modal class h – Class size  
 $f_1$ - Frequency of modal class  $f_0$ - Frequency of class preceding modal class  
 $f_2$  – Frequency of class succeeding modal class.

**Example 1): Calculate mean, median and mode for the following data distribution.**

C-I	0-10	10-20	20-30	30-40	40-50
F	6	8	7	3	1

**Solution: To find mean**

C-I	f	X	fx
0-10	6	5	30
10-20	8	15	120
20-30	7	25	175
30-40	3	35	105
40-50	1	45	45

$$\begin{aligned} \therefore \text{Mean } \bar{x} &= \frac{\sum fx}{\sum f} \\ &= \frac{475}{25} \\ &= 19. \\ \sum f &= 25 \quad \sum fx = 475 \end{aligned}$$

**To find median,**

C-I	f	Cf
0-10	6	6
10-20	8	14
20-30	7	21
30-40	3	24
40-50	1	25

Here 'n' is odd so consider  $\left(\frac{n+1}{2}\right)^{\text{th}}$  observation.  
 $\left(\frac{n+1}{2}\right) = \left(\frac{25+1}{2}\right) = \left(\frac{26}{2}\right) = 13^{\text{th}}$  observation exists in the class interval (10-20). (By observing cf column, we can find it).

$\therefore$  (10-20) is median class.

Here, Lower limit of median **l = 10**

Number of observations **n = 25**

Cf of class preceding median class **cf = 6**

Frequency of median class **f = 8** and Class size **h = 10**. **n=25**

$$\therefore \text{Median} = l + \left[ \frac{\frac{n}{2} - cf}{f} \right] \times h = 10 + \left[ \frac{\frac{25}{2} - 6}{8} \right] \times 10 = 10 + \left[ \frac{12.5 - 6}{8} \right] \times 10$$

$$= 10 + \left[ \frac{6.5}{8} \right] \times 10 = 10 + 8.125 \therefore \text{Median} = 18.125$$

**To find Mode,**

C-I	F
0-10	6
10-20	8
20-30	7
30-40	3
40-50	1

Here the class (10-20) has the highest frequency '8' so it is called modal class.

$\therefore$  Lower limit of modal class **l = 10**

Size of class interval **h = 10**

Frequency of modal class **f<sub>1</sub> = 8**

Frequency of class preceding modal class **f<sub>0</sub> = 6**

Frequency of class succeeding modal class **f<sub>2</sub> = 7**

$$\therefore \text{Mode} = l + \left[ \frac{f_1 - f_0}{2f_1 - f_0 - f_2} \right] \times h$$

$$= 10 + \left[ \frac{8 - 6}{2(8) - 6 - 7} \right] \times 10 = 10 + \left[ \frac{2}{16 - 13} \right] \times 10 = 10 + \left[ \frac{2}{3} \right] \times 10 =$$

$$10 + 6.66 = 16.66$$

**Note: 1)** If two class intervals have highest frequencies then we have to find mode for both class intervals.

2) If the first class interval has highest frequency then  $f_0 = 0$

3) If the last class interval has highest frequency then  $f_2 = 0$

**If they given question like this then you can plot graph directly.**

**ICAN DO IT**

**For practice: Find mean, median, mode and draw less than and more than ogive curve for the following data. (To achieve 3m for mean, median and mode) and 3m for ogive. \***

C-I	0-10	10-20	20-30	30-40	40-50
F	4	3	5	2	1

C-I	0-5	5-10	10-15	15-20	20-25	25-30
F	5	7	6	5	3	4

C-I	0-5	5-10	10-15	15-20	20-25
F	4	3	5	6	2

C-I	1-3	3-5	5-7	7-9	9-11
F	7	8	2	2	1

C-I	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55
F	3	8	9	10	3	0	0	2

C-I	500-520	520-540	540-560	560-580	580-600
F	12	14	8	6	10

C-I	11-13	13-15	15-17	17-19	19-21	21-23	23-25
F	7	6	9	13	20	5	4

C-I	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100
F	5	3	4	3	3	4	7	9	7	8

C-I	0-5	5-10	10-15	15-20	20-25
F	4	6	3	2	5

C-I	0-100	100-200	200-300	300-400	400-500
F	15	10	17	12	6

**Answers:**

- |                 |               |             |
|-----------------|---------------|-------------|
| 1) Mean = 20.33 | Median = 21   | Mode = 24   |
| 2) Mean = 13.5  | Median = 12.5 | Mode = 8.33 |
| 3) Mean = 12.25 | Median = 13   | Mode = 16   |
| 4) Mean = 4.2   | Median = 3.75 | Mode = 3.28 |

- |                   |                 |               |
|-------------------|-----------------|---------------|
| 5) Mean = 33.71   | Median = 28.61  | Mode = 30.27  |
| 6) Mean = 545.2   | Median = 538.33 | Mode = 525    |
| 7) Mean = 18      | Median = 18.53  | Mode = 19.63  |
| 8) Mean = 59.15   | Median = 66.42  | Mode = 75     |
| 9) Mean = 12      | Median = 10     | Mode = 7      |
| 10) Mean = 223.33 | Median = 229.41 | Mode = 258.33 |

\*Practice all above you will get definitely 6marks.

## QUADRATIC EQUATIONS

### 1) Solving quadratic equations by formula method:

Ex:1)  $x^2+10x+25=0$

Solution: Given  $x^2+10x+24=0$

Here  $a=1, b=10$  and  $c=24$

$$\therefore x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$= \frac{-10 \pm \sqrt{(10)^2 - 4(1)(24)}}{2(1)} = \frac{-10 \pm \sqrt{100 - 96}}{2}$$

$$= \frac{-10 \pm \sqrt{4}}{2} = \frac{-10 \pm 2}{2}$$

$$= \frac{-10+2}{2} \quad \text{or} \quad = \frac{-10-2}{2}$$

$$= \frac{-8}{2} \quad \text{or} \quad = \frac{-12}{2}$$

$$= -4 \quad \text{or} \quad = -6$$

#### 1. For practice:

- |                   |                   |
|-------------------|-------------------|
| 2. $x^2-7x+12=0$  | 11. $x^2+5x-3=0$  |
| 3. $x^2-8x+9=0$   | 12. $x^2-6x+8=0$  |
| 4. $x^2-4x+5=0$   | 13. $x^2+4x-5=0$  |
| 5. $x^2-10x+13=0$ | 14. $y^2-8y+10=0$ |
| 6. $m^2-8m+10=0$  | 15. $x^2-5a+6=0$  |
| 7. $4x^2-5+2x=0$  | 16. $7x^2+3x-5=0$ |

- |                  |                    |
|------------------|--------------------|
| 8. $3x^2-5x+2=0$ | 17. $5x^2-7x+12=0$ |
| 9. $2x^2-3x-8=0$ | 18. $X^2=8x-5$     |
| 10. $x^2+3x=1$   | 19. $4x^2-1=8$     |
| 11. $4x^2-5=6x$  | 20. $3x^2+1=8x$    |

### 2. Find the nature of the roots of the following equations:

- |                   |                    |
|-------------------|--------------------|
| 1. $x^2-7x+12=0$  | 11. $x^2+5x-3=0$   |
| 2. $x^2-8x+9=0$   | 12. $x^2-6x+8=0$   |
| 3. $x^2-4x+5=0$   | 13. $x^2+4x-5=0$   |
| 4. $x^2-10x+13=0$ | 14. $y^2-8y+10=0$  |
| 5. $m^2-8m+10=0$  | 15. $x^2-5a+6=0$   |
| 6. $4x^2-5+2x=0$  | 16. $7x^2+3x-5=0$  |
| 7. $3x^2-5x+2=0$  | 17. $5x^2-7x+12=0$ |
| 8. $2x^2-3x-8=0$  | 18. $x^2=8x-5$     |
| 9. $x^2+3x=1$     | 19. $4x^2-1=8$     |
| 10. $4x^2-5=6x$   | 20. $3x^2+1=8x$    |

### 3. If the roots of the following quadratic equations are equal, then find the value of 'k'.

- |                    |                     |
|--------------------|---------------------|
| 1) $x^2+kx+4=0$    | 11) $x^2+6x+k=0$    |
| 2) $x^2+8x-k=0$    | 12) $x^2-12x+k=0$   |
| 3) $4x^2+kx+25=0$  | 13) $25X^2-kx+9=0$  |
| 4) $Kx^2+10x+25=0$ | 14) $kx^2-14x+49=0$ |
| 5) $2x^2+kx+5=0$   | 15) $x^2-5x+k=0$    |
| 6) $X^2-kx+64=0$   | 16) $x^2+kx+81=0$   |
| 7) $X^2+10x+k=0$   | 17) $x^2-10x+k=0$   |
| 8) $Kx^2-12x+4=0$  | 18) $kx^2-36x+4=0$  |
| 9) $X^2+kx+10=0$   | 19) $x^2-kx+20=0$   |
| 10) $X^2+5x+k=0$   | 20) $x^2-kx+100=0$  |

## CO-ORDINATE GEOMETRY:

### 1) Find the distance of a point (4, -3) from the origin.(1m)

**Solution:** We know that formula for distance from origin is

$$d = \sqrt{x^2 + y^2} = \sqrt{(4)^2 + (-3)^2}$$

$$d = \sqrt{16 + 9} \quad d = \sqrt{25} \quad d = 5 \text{ units}$$

#### I CAN DO IT

1. Find the distance of a point (2, -3) from the origin.
2. Find the distance of a point (-6, -8) from the origin.
3. Find the distance of a point (-5, 12) from the origin.
4. Find the distance of a point (7, -24) from the origin.
5. Find the length of diameter of a circle whose centre is (-4, 3) which passes through the origin.

### 2) Find the distance between the points (2, 4) and (5, 8).(2m)

**Solution:** We know that formula for distance from origin is

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2} = \sqrt{(2 - 5)^2 + (4 - 8)^2}$$

$$d = \sqrt{(-3)^2 + (-4)^2} \quad d = \sqrt{9 + 16}$$

$$d = \sqrt{25} \quad \Rightarrow d = 5 \text{ units}$$

#### I CAN DO IT

1. Find the distance between the points (-3, 5) and (3, -3).
2. Find the distance between the points (-7, 5) and (6, 3)
3. Find the distance between the points (-12, 5) and (13, 5)
4. Find the distance between the points (-1, 5) and (6, 5)
5. Find the distance between the points (-6, 5) and (8, 5)

### 3) Find the perimeter of triangle whose vertices are (5, 2), (-3, 4) and (2, -5). (3m)

**Solution:**

$$x_1=5, x_2=-3, x_3=2, y_1=2, y_2=4, y_3=-5$$

$$\text{Area of triangle} = \frac{1}{2}[x_1(y_2-y_3)+x_2(y_3-y_1)+x_3(y_1-y_2)]$$

$$= \frac{1}{2}[5(4-(-5))+(-3)((-5)-2)+2(2-4)]$$

$$= \frac{1}{2}[5(4+5)-3(-5-2)+2(2-4)]$$

$$= \frac{1}{2}[5 \times 9 + 3 \times 7 + 2 \times (-2)]$$

$$= \frac{1}{2}[45 + 21 - 4]$$

$$= \frac{1}{2}[62]$$

$$= 31 \text{ square units}$$

### 4) Find the type of triangle whose vertices are,

i) (1, 0), (-4, -2) and (4, -2)

ii) (2, 6), (-2, 3) and (6, 3)

iii) (4, 9), (4, 3) and (8, 6)

iv) (4, -5), (-3, -7) and (4, -7)

v) (-5, 6), (-10, 3) and (-6, 3)

### 5) Find the areas of triangles whose vertices are given below.

1. (2, -1), (3, 2) and (5, -3)

6) (3, 0), (-2, -3) and (5, -2)

2. (-3, 1), (-4, -3) and (2, 1)

7) (5, -3), (2, -5) and (-3, 4)

3. (-2, 1), (4, 5) and (-1, -4)

8) (-1, -4), (-5, -6) and (3, 2)

4. (5, 6), (3, -7) and (-3, -5)

9) (-6, -3), (-8, -1) and (1, 0)

5. (3, 2), (5, -1) and (4, 0)

10) (0, 8), (-8, 0) and (0, 0)

### 6) Find the perimeters of triangles whose vertices are given below.

i) (1, 0), (-4, -2) and (4, -2)

ii) (2, 6), (-2, 3) and (6, 3)

iii) (4, 9), (4, 3) and (8, 6)

iv) (4, -5), (-3, -7) and (4, -7)

v) (-5, 6), (-10, 3) and (-6, 3)

### 7) Find the value of 'k' if the given points are collinear.

1) (4, k) (3, -2) and (2, 1)

6) (3, k), (-2, -3) and (5, -2)

2) (-1, 2), (-3, 4) and (k, 1)

7) (5, -3), (4, k) and (7, -2)

3) (3, 1), (5, -2) and (2, -k)

8) (k, -3), (6, 5) and (4, 8)

4) (k, 2), (3, -1) and (5, 2)

9) (-3, -5), (-4, 5) and (0, k)

5) (-1, -3), (k, -3) and (1, 2)

10) (6, k), (k, 2) and (-2, -3)

## Arithmetic progressions

### Find $a_n$ for the following.

- 1) In an A.P. If  $a=5$ ,  $d=3$ , then find 10<sup>th</sup> term.

**Solution:** Given  $a=5$ ,  $d=3$

$$\text{W.K.T. } a_n = a + (n-1)d$$

$$\therefore a_{10} = 5 + (10-1)(3)$$

$$\therefore a_{10} = 5 + (9)(3) \quad \therefore a_{10} = 5 + 27 = 32$$

**$\therefore$  The 10<sup>th</sup> term of the A.P. is 32.**

### For practice:

1.  $a=3$ ,  $d=2$ ,  $a_{15}=?$

3.  $a=-2$ ,  $d=5$ ,  $a_{10}=?$

2.  $a=4$ ,  $d=3$ ,  $a_{20}=?$

4.  $a=-1$ ,  $d=-3$ ,  $a_{40}=?$

### Find number of terms for the following.

1. 2, 5, 8, ..... 98

5. 8, 4, 0, ..... -48

2. 1, 4, 7, ..... 100

6. 12, 7, 5, ..... -138

3. 10, 4, 7, ..... -47

7. 1, 5, 9, ..... 57

4. -3, -8, -13, ..... -98

8. 3, 5, 7, ..... 99

### Find the A.P. for the following.

- $a_{12}=35, a_{18}=53$  find  $a_{20}$ .
- $a_{13}=37, a_{17}=49$  find  $a_{15}$ .
- $a_5=-23, a_{15}=-73$  find  $a_{25}$ .
- $a_{22}=-76, a_{30}=-108$  find  $a_{50}$ .
- $a_{32}=65, a_{40}=81$  find  $a_{26}$ .
- $a_8=-15, a_{15}=-29$  find  $a_{12}$ .
- $a_7=15, a_{16}=42$  find  $a_{20}$ .
- $a_5=-28, a_{10}=-58$  find  $a_{30}$ .

### Find $S_n$ for the following.

Ex:1) Find the sum of A.P.  $1+5+9+ \dots$  upto 20 terms.

Solution: Given A.P. is  $1+5+9+ \dots$  upto 20 terms

$$\therefore a=1, d=4, n=20, S_n=?$$

$$\text{W.K.T. } S_n = \frac{n}{2} [2a + (n-1)d]$$

$$\therefore S_{20} = \frac{20}{2} [2(1) + (20-1)(4)]$$

$$\therefore S_{20} = 10[2 + (19)(4)] \quad \therefore S_{20} = 10(2 + 76) = 10(78) = \mathbf{780}.$$

$\therefore$  The sum of first 20 terms is **780**.

### For practice:

- $2+5+8+ \dots$  upto 20 terms.
- $1+4+7+ \dots$  upto 30 terms.
- $6+4+2+ \dots$  upto 25 terms.
- $-3-1+1+3+ \dots$  upto 15 terms.
- $10+6+2+ \dots$  upto 12 terms.
- Find the sum of first 20 natural numbers.
- Find the sum of first 30 natural numbers.
- Find the sum of first 15 odd numbers.
- Find the sum of first 25 odd numbers.
- Find the sum of first 12 even numbers.
- Find the sum of first 18 even numbers.
- $3+5+7+ \dots$  upto 45 terms.
- $3+8+13+ \dots$  upto 63 terms.
- $7+12+17+ \dots$  upto 87 terms.
- $4+9+14+ \dots$  upto 104 terms.
- $5+3+1+ \dots$  upto 33 terms.

### COMPLEMENTARY RATIOS

#### 1. Evaluate the following.

- $\frac{\sin 23^\circ}{\cos 67^\circ}$
- $\frac{\cos ec 42^\circ}{\sec 48^\circ}$
- $\frac{\tan 36^\circ}{\cot 54^\circ}$
- $\sin 54^\circ - \cos 36^\circ$
- $\tan 62^\circ - \cot 28^\circ$
- $\text{cosec } 15^\circ - \sec 75^\circ$
- $\sin 26^\circ + \text{cosec } 42^\circ - \sec 48^\circ - \cos 64^\circ$
- $\frac{2 \cos ec 64 + \sec 26}{2 \sec 26 + \cos ec 64}$
- $\frac{3 \tan 44 - 2 \cot 46}{5 \cot 46 + 2 \tan 44}$
- $\frac{3 \sin 50 - 2 \cos 40}{5 \cos 50 - 4 \sin 40} + \frac{3 \cos 50 - 4 \sin 40}{2 \cos 40 - \sin 50}$

### TRIGONOMETRY

#### 1. One mark questions

- If  $\sin \theta = \frac{3}{5}$  find all trigonometric ratios.
- If  $\cot \theta = \frac{12}{5}$  find all trigonometric ratios.
- If  $\sec \theta = \frac{7}{3}$  find all trigonometric ratios.
- If  $\cos \theta = \frac{5}{8}$  find all trigonometric ratios.
- Express  $\tan \theta$  in terms of all trigonometric ratios.

Express  $\text{cosec } \theta$  in terms of all trigonometric ratios

#### 2. Standard Angles: Evaluate the following.

Ex: 1) Evaluate  $\frac{2 \tan 45 + 3 \sin 30}{2 \text{ cosec } 30 - \sec 60}$

$$\text{Solution: } \frac{2 \tan 45 + 3 \sin 30}{2 \text{ cosec } 30 - \sec 60} = \frac{2(1) + 3(\frac{1}{2})}{2(2) - 2} = \frac{2 + \frac{3}{2}}{4 - 2} = \frac{\frac{7}{2}}{2} = \frac{7}{4}$$







#### 3. For practice:

- $\frac{\sin 60^\circ + \cos 30^\circ - 2 \cot 45^\circ}{\sin 45^\circ + \sec 60^\circ}$
- $\frac{\tan 30^\circ + \cot 45^\circ - \cos ec 30^\circ}{\sec 30^\circ + \cos ec 60^\circ}$
- $\frac{\cos 45^\circ - 2 \sec 30^\circ}{2 \text{ cosec } 45^\circ - 3 \cot 30^\circ}$
- $\sin 60^\circ \cdot \cos 30^\circ + \sin 30^\circ \cdot \cos 60^\circ$
- $2 \tan^2 45^\circ + \cos^2 30^\circ - \sin^2 60^\circ$
- $\frac{\sec 30^\circ + \cos ec 30^\circ}{\cos 45^\circ}$
- $\frac{\sin 30^\circ + \cos ec 30^\circ}{\cot 45^\circ}$
- $\frac{\sin 30^\circ + \tan 45^\circ - \cos ec 60^\circ}{\sec 30^\circ + \cos 60^\circ + \cot 45^\circ}$
- $\frac{\sec 30^\circ + 2 \cos 60^\circ - \cot 45^\circ}{3 \tan 45^\circ - 2 \cos ec 60^\circ}$
- $\frac{5 \cos^2 60^\circ + 4 \sec^2 30^\circ - \tan^2 45^\circ}{\sin^2 30^\circ + \cos^2 30^\circ}$
- $\frac{3 \sec 30^\circ + 2 \cos ec 30^\circ}{3 \cos 45^\circ}$
- $\frac{3 \sin 60^\circ + 2 \cos ec 30^\circ}{\tan 45^\circ - 2 \cot 45^\circ}$
- $\frac{4 \tan 45^\circ - 3 \cot 30^\circ}{3 \cos ec 45^\circ - \sec 45^\circ}$
- $\frac{34 \cos 30^\circ - \cos 60^\circ}{2 \sin 45^\circ - 3 \tan 45^\circ}$
- $\frac{4 \sec^2 45^\circ - 3 \cos^2 30^\circ}{2 \sin 30^\circ + 3 \cos ec^2 60^\circ}$
- $\frac{3 \cos^2 45^\circ - 2 \sec^2 30^\circ}{\cot^2 30^\circ - 2 \cos ec^2 30^\circ}$
- $\frac{4 \sin^2 60^\circ - 3 \tan^2 30^\circ}{4 \cos^2 30^\circ - \sec^2 45^\circ}$
- $\frac{2 \tan^2 45^\circ - 3 \sec^2 60^\circ}{2 \cos ec^2 30^\circ + 2 \cot^2 30^\circ}$
- $\frac{4 \cos^2 60^\circ - 3 \tan^2 30^\circ}{5 \sec^2 60^\circ + 2 \tan 45^\circ}$
- $\sin 60^\circ \cdot \cos 30^\circ - \cos 60^\circ \cdot \sin 30^\circ$



Name of the Solid	Curved Surface Area	Total Surface Area	Volume
Cuboid	$2h(l+b)$	$2(lb+bh+hl)$	$lbh$
Cube	$4a^2$	$6a^2$	$a^3$
Right Circular Cylinder	$2\pi rh$	$2\pi r(r+h)$	$\pi r^2 h$
Right Circular Cone	$\pi rl$	$2\pi r(r+l)$	$\frac{1}{3}\pi r^2 h$
Sphere	–	$4\pi r^2$	$\frac{4}{3}\pi r^3$
Hemisphere	$2\pi r^2$	$3\pi r^2$	$\frac{2}{3}\pi r^3$
Frustum of a Cone	$\pi(r_1+r_2)l$ where $l = \sqrt{h^2 + (r_1 - r_2)^2}$	$\pi(r_1+r_2)l$ + $\pi r_1^2 + \pi r_2^2$	$\frac{1}{3}\pi h(r_1^2 + r_2^2 + r_1 r_2)$

TABLE FOR AREA AND PERIMETER

Figures	Area	Perimeter	
Circle 	$\pi r^2$ or $\frac{\pi d^2}{4}$	$2\pi r$ or $\pi d$	$r$ : radius $d$ : diameter $\pi = \frac{22}{7}$ or 3.14
Semicircle 	$\frac{\pi r^2}{2}$	$\pi r + 2r$	
Quadrant 	$\frac{\pi r^2}{4}$	$\frac{\pi r}{2} + 2r$	
Ring 	$\pi(R+r)(R-r)$	$2\pi R$ (Outer circumference) $2\pi r$ (Inner circumference)	$R$ : Radius of bigger circle $r$ : Radius of smaller circle
Sector 	(i) $\frac{\theta}{360} \times \pi r^2$ (ii) $\frac{1}{2}lr$	$\frac{\theta}{360} \times 2\pi r + 2r$	$r$ : Radius of circle $l$ : length of arc
Segment 	$\frac{\theta}{360} \pi r^2 - \frac{1}{2} r^2 \sin \theta$	$\frac{\pi r \theta}{180} + 2r \sin \frac{\theta}{2}$	$\theta$ : angle subtended by arc at centre

Practice Question Paper-1  
Target-45

I. Answer the following.

7X1=7

- Find the distance of a point (2, -3) from the origin.
- Find the 3rd term of AP  $a_n = 2n+3$ .
- Write the formula to find Volume of cone.
- Write condition of pair of intersection of pair of linear equation.
- Write midpoint formula of two co-ordinates.
- Find  $\operatorname{cosec} \theta$  if  $\sin \theta = \frac{4}{5}$ .
- State Thales Theorem.

II. Answer the following.

5X2=10

- Find the sum of A P  $1+5+9+ \dots$  upto 20 terms.
- Draw a line segment AB of length 8 cm and divide it in the ratio of 3:2
- Solve  $x+3y=6$  and  $2x-3y=6$ .
- Find the distance between the points (-3, 5) and (3, -3).
- Solve using quadratic formula  $x^2+10x+25=0$ .

III. Answer the following.

3X5=15

- Prove that, "The two tangents drawn from an external point to a circle are equal".
- Draw more than ogive curve for following data.

CI	0-50	50-100	100-150	150-200	200-250	250-300
f	12	18	27	20	17	6

- Calculate mean, and mode for the following data distribution.

C-I	0-10	10-20	20-30	30-40	40-50
F	6	8	7	3	1

- Draw a circle of radius 3.5 cm from a point 8 cm away from the center; construct the pair of tangents to the circle. Measure the tangents and write.
- Find the areas of triangles whose vertices are given below (2, -1), (3, 2) and (5, -3)

IV. Answer the following.

4X2=8

- Solve the following pair of linear equations in two variables by graphical method :  $x + y = 7$  and  $3x - y = 1$ .
- Construct a triangle of sides 4 cm, 5 cm and 6 cm and then a triangle similar to it whose sides are  $\frac{2}{5}$  of the corresponding sides of the first triangle.

V. Answer the following.

5X1=5

- State and Prove, "Pythagoras theorem".

Probable date to conduct Date:02/03/2022

**Practice Question Paper-2  
Target-45**

**I. Answer the following.** **7X1=7**

1. Find the distance of a point (3, 4) from the origin.
2. Find the 3rd term of AP  $a_n = 3n + 1$ .
3. Write the formula to find Volume of Hemisphere.
4. Write algebraic condition of pair of linear equation for coincident lines.
5. Write section formula to find the coordinates of a point which divides the line segment joining points internally in the given ratio.
6. Find  $\tan \theta$  if  $\cot \theta = \frac{12}{5}$ .
7. State Pythagoras s Theorem.

**II. Answer the following.** **5X2=10**

8. Find the sum of A P  $1+4+7+\dots$  upto 30 terms.
9. Solve  $.2x+y=3; x+3y=18$ .
10. Find the distance between the points (2, 4) and (5, 8).
11. Solve using quadratic formula  $3x^2-5x+2=0$ .
12. Draw a line segment AB of length 10 cm and divide it in the ratio of 2:3

**III. Answer the following.** **3X5=15**

13. "The tangent at any point of a circle is perpendicular to the radius drawn at the point of contact".
14. Draw less than ogive curve for following data.

CI	0-100	100-200	200-300	300-400	400-500
F	15	10	17	12	6

15. Calculate median and mode for the following data distribution.

C-I	0-10	10-20	20-30	30-40	40-50
F	6	8	7	3	1

16. Draw a pair of tangents to a circle of radius 4cm, which are inclined at an angle of  $120^\circ$ .
17. Find the perimeter of triangle whose vertices are (5, 2), (-3, 4) and (2, -5).

**IV. Answer the following.** **4X2=8**

18. Solve the following pair of linear equations in two variables by graphical method :  $.2x-y-2=0; x+y=6$ .
19. Draw a  $\Delta ABC$  with sides  $AB = 5\text{cm}, BC = 4\text{cm}$  and  $\angle ABC = 60^\circ$  Then construct a triangle whose sides are  $\frac{7}{5}$  of the corresponding sides of triangle ABC.

**V. Answer the following.** **5X1=5**

20. State and Prove, "Thale's theorem".

**Probable date to conduct Date:05/03/2022**

**Practice Question Paper-3  
Target-45**

**I. Answer the following.** **6X1=6**

1. Find the distance of a point (3, 0) from the origin.
2. Find the 3rd term of AP  $a_n = 3n + 1$ .
3. Write the formula to find Volume of frustum of a cone.
4. Write algebraic condition of pair of linear equation for parallel lines.
5. Write the formula to find area of a triangle when coordinates of its vertices are given.
6. Evaluate ,  $\tan 48^\circ \times \tan 42^\circ$

**II. Answer the following.** **7X2=14**

8. Find the sum of A P  $1+4+7+\dots$  upto 30 terms.
9. Solve  $.2x+y=3; x+3y=18$ .
10. Find the midpoint of line joining the points (3, 4) and (5, 6).
11. Solve using quadratic formula  $2x^2-3x=5$ .
12. Draw a line segment PQ of length 8 cm and divide it in the ratio of 2:3
13. Find the discriminant of equation  $2x^2-3x-8=0$  and also write nature of roots.
14. If  $a_{12}=35, a_{18}=53$  find  $a_{20}$

**III. Answer the following.** **3X4=12**

12. "The tangent at any point of a circle is perpendicular to the radius drawn at the point of contact".
13. Draw less than ogive curve for following data.

CI	0-10	10-20	20-30	30-40	40-50
F	5	7	3	2	3

14. Calculate mean and median for the following data distribution.

C-I	0-5	5-10	10-15	15-20	20-25
F	6	8	7	3	1

- 15 Draw a circle of radius 2.5 cm and construct a chord of length 3 cm. and Draw the tangents at the end points of the chord.

**IV. Answer the following.** **4X2=8**

16. Solve the following pair of linear equations in two variables by graphical method :  $y = 2x - 2$  and  $y = 4x - 4$ .
17. Construct a triangle ABC with sides  $AB = 6\text{cm}$  and  $\angle BAC = 50^\circ$  and  $\angle ABC = 60^\circ$ . Then construct a triangle whose sides are  $\frac{1}{2}$  of the corresponding sides triangle ABC.

**V. Answer the following.** **5X1=5**

18. State and Prove, Converse of "Pythagoras theorem".

**Probable date to conduct Date:09/03/2022**

**Practice Question Paper-4  
Target-45**

**I. Answer the following.**

**7X1=7**

1.s first natural number.

**II. Answer the following.**

**6X2=12**

8. Find the sum of first 12 even natural numbers.

9.Solve .  $2x+y-6=0$  and  $6x+2y-4=0$ .

10. Draw a line segment of length 7cm and divide it in the ratio of 2:1

11.Solve using quadratic formula  $m^2-8m+10=0$ .

13. If in an AP is 2,5,8... then find 20<sup>th</sup> term?

14.If  $2x^2+3+5=0$  then find discriminant and write nature of roots

**III. Answer the following.**

**3X4=12**

12. “The tangent at any point of a circle is perpendicular to the radius drawn at the point of contact”.

13. Draw ogive curve for following data.

CI	>0	>10	>20	>30	>40
F	20	15	8	5	3

14. Calculate mean and median for the following data distribution.

C-I	0-5	5-10	10-15	15-20	20-25
F	6	8	7	3	1

15 Construct a pair of tangents to a circle of radius 3 cm from a point 6cm away from the circle .

**IV. Answer the following.**

**4X2=8**

16. Solve the following pair of linear equations in two variables by graphical method :  $x + y = 10$  ;  $x - y = 2$

17. Construct a triangle of sides 4 cm , 5 cm and 6 cm and then a triangle similar to it whose sides are  $\frac{5}{3}$  of the corresponding sides of the first triangle.

**V. Answer the following.**

**5X1=5**

18. Prove that “The areas of two similar triangles are proportional to the squares of their corresponding side”.

**Probable date to conduct Date:12/03/202**

**Practice Question Paper-5**

**Target-45**

**I. Answer the following.**

**7X1=7**

1.What distance of a point P(5, -3) from the X-axis.

2. Find the 10<sup>th</sup> term of AP in which  $a_n = 6n+3$ .

3.Write the formula to find Volume of frustum of a cone.

4. Write condition for pair of lines  $a_1x+b_1y+c_1=0$  and  $a_2x+b_2y+c_2=0$  to be coincide.

5. Write the formula to find length of arc of sector of an angle  $\theta$  of circle with radius ‘r’

6.Find  $\tan\theta$  if  $\sin\theta = \frac{4}{5}$ .

7.State S.S.S. criterion for similarity of triangles.

**II. Answer the following.**

**5X2=10**

8.Divide the line segment AB=5.5cm in the ratio 4:3 .

9.Find the sum of A.P.  $7+5+3+ \dots$  upto 30 terms.

10.Solve  $3x+y=7$  and  $2x-y=5$ .

11. Find the area of the triangle whose vertices are (4, 2) (-3, 5)and (3, -3).

12.Solve using quadratic formula  $2x^2+5x+10=0$ .

**II. Answer the following.**

**3X4=12**

13.Prove that, “The two tangents drawn from an external point to a circle are equal”.

14. Draw ogive curve for following data.

CI	Less than 50	Less than 100	Less than 150	Less than 200	Less than 250	Less than 300
F	12	30	57	77	94	100

15. Calculate mean, median and mode for the following data distribution.

C-I	0-20	20-40	40-60	60-80	80-100
F	8	10	6	7	4

16. Draw a circle of radius 4 cm from a point 8 cm away from the center; construct the pair of tangents to the circle. Measure the tangents and write.

**III. Answer the following.**

**4X2=8**

17. Solve the following pair of linear equations in two variables by graphical method :  $2x + y = 8$  and  $3x - y = 7$ .

18. Construct a triangle ABC in which AB=4cm AC=5cm and  $\angle B = 60^\circ$  and then a triangle similar to it whose sides are  $\frac{2}{5}$  of the corresponding sides of the first triangle.

**IV. Answer the following.**

**4X2=8**

19.State and Prove, “A.A. criteria for similarity of triangles”.

**Probable date to conduct Date:16/03/2022**

**Practice Question Paper-6**  
**Target-45**

**I. Answer the following.**

**7X1=7**

- Write the number of solutions that the pair of linear equations  $a_1x+b_1y+c_1=0$  and  $a_1x+b_1y+c_1=0$  have .
- Write the formula to find the sum of first 'n' even natural numbers .
- If  $A=30^\circ$ , then find the value of  $\sin 3A$ .
- Write the coordinates of the point 'P' which divides the line segment joining the points  $(x_1, y_1)$  and  $(x_2, y_2)$  in the ratio  $m_1:m_2$  internally.
- State Basic proportionality theorem.
- If the diameter of the circle is 14cm then find the area of its quadrant.
- Write the formula to find the T.S.A. of hemisphere.

**II. Answer the following.**

**5X2=10**

- Divide the line segment  $MN=6.3$ cm in the ratio 5:3 .
- Find the sum of A.P.  $10+6+2+\dots+(-98)$ .
- Solve  $4x+3y=17$  and  $5x-4y=-2$ .
- Find the area of triangle whose vertices are (6, 5) (3,2) and (-1, 5).
- Solve using quadratic formula  $4x^2+7x-20=0$ .

**II. Answer the following.**

**3X4=12**

- Prove that, "The radius drawn at the point of contact is perpendicular to the tangent".
- Draw less than ogive curve for following data.

CI	More than 0	More than 10	More than 20	More than 30	More than 40	More than 50
F	50	37	32	25	14	8

- Calculate mean, median and mode for the following data distribution.

C-I	0-15	15-30	30-45	45-60	60-75
F	8	4	6	9	3

- Construct two tangents to a circle of radius 4 cm which are inclined at an angle of  $75^\circ$ .

**III. Answer the following.**

**4X2=8**

- Solve the following pair of linear equations in two variables by graphical method :  $3x + y = 2$  and  $4x - y = 5$ .
- Construct a triangle ABC in which  $AB=4$ cm  $\angle A = 60^\circ$  and  $\angle C = 70^\circ$  and then a triangle similar to it whose sides are  $\frac{2}{5}$  of the corresponding sides of the first triangle

**IV. Answer the following.**

**4X2=8**

- Prove that "The areas of two similar triangles are proportional to squares of their corresponding sides".

**Probable date to conduct Date:19/03/2022**

**Practice Question Paper-7**  
**Target-45**

**I. Answer the following.**

**7X1=7**

- Find the distance of a point (2, -3) from the origin.
- Find the 3rd term of AP  $a_n = 2n+3$ .
- Write the formula to find Volume of cone.
- Write condition of pair of intersection of pair of linear equation.
- Write midpoint formula of two co-ordinates.
- Find  $\operatorname{cosec}\theta$  if  $\sin\theta = \frac{4}{5}$ .
- State Thales Theorem.

**II. Answer the following.**

**4X2=8**

- Find the sum of A.P.  $1+5+9+\dots$  upto 20 terms.
- Solve  $x+3y=6$  and  $2x-3y=6$ .
- Find the distance between the points (-3, 5) and (3, -3).
- Solve using quadratic formula  $x^2+10x+25=0$ .

**II. Answer the following.**

**3X4=12**

- Prove that, "The two tangents drawn from an external point to a circle are equal".
- Draw more than ogive curve for following data.

CI	0-50	50-100	100-150	150-200	200-250	250-300
f	12	18	27	20	17	6

- Calculate mean, median and mode for the following data distribution.

C-I	0-10	10-20	20-30	30-40	40-50
F	6	8	7	3	1

- Draw a circle of radius 3.5 cm from a point 8 cm away from the center; construct the pair of tangents to the circle. Measure the tangents and write.

**III. Answer the following.**

**4X2=8**

- Solve the following pair of linear equations in two variables by graphical method :  $x + y = 7$  and  $3x - y = 1$ .
- Construct a triangle of sides 4 cm , 5 cm and 6 cm and then a triangle similar to it whose sides are  $\frac{2}{5}$  of the corresponding sides of the first triangle.

**IV. Answer the following.**

**4X2=8**

- State and Prove, "Pythagoras theorem".

**Probable date to conduct Date:22/03/2022**

**Practice Question Paper-8  
Target-45**

**I. Answer the following.**

**7X1=7**

1. Find the distance of a point (2, -3) from the origin.
2. Find the 3rd term of AP  $a_n = 2n+3$ .
3. Write the formula to find Volume of cone.
4. Write condition for pair of lines  $a_1x+b_1y+c_1=0$  and  $a_2x+b_2y+c_2=0$  to be intersect.
5. Write midpoint formula of two co-ordinates.
6. Find  $\operatorname{cosec}\theta$  if  $\sin\theta = \frac{4}{5}$ .
7. State Thales Theorem.

**II. Answer the following.**

**5X2=10**

8. Divide the line segment AB=8cm in the ratio 3:2 .
9. Find the sum of A.P.  $1+5+9+ \dots$  upto 20 terms.
10. Solve  $x+3y=6$  and  $2x-3y=6$ .
11. Find the distance between the points (-3, 5) and (3, -3).
12. Solve using quadratic formula  $x^2+10x+25=0$ .

**II. Answer the following.**

**3X4=12**

13. Prove that, "The two tangents drawn from an external point to a circle are equal".
14. Draw more than ogive curve for following data.

CI	0-50	50-100	100-150	150-200	200-250	250-300
F	12	18	27	20	17	6

15. Calculate mean, median and mode for the following data distribution.

C-I	0-10	10-20	20-30	30-40	40-50
F	6	8	7	3	1

16. Draw a circle of radius 3.5 cm from a point 8 cm away from the center; construct the pair of tangents to the circle. Measure the tangents and write.

**III. Answer the following.**

**4X2=8**

17. Solve the following pair of linear equations in two variables by graphical method :  $x + y = 7$  and  $3x - y = 1$ .
18. Construct a triangle of sides 4 cm , 5 cm and 6 cm and then a triangle similar to it whose sides are  $\frac{2}{5}$  of the corresponding sides of the first triangle.

**IV. Answer the following.**

**4X2=8**

19. State and Prove, "Pythagoras theorem".

**Probable date to conduct Date:25/03/2022**

**Practice Question Paper-9  
Target-45**

**I. Answer the following.**

**7X1=7**

1. Find the distance of a point (3, 2) from the origin.
2. Find the 5<sup>th</sup> term of AP in which  $a_n = 5n-3$ .
3. Write the formula to find the area of sector of an angle  $\theta$  of circle with radius 'r'.
4. Write condition for pair of lines  $a_1x+b_1y+c_1=0$  and  $a_2x+b_2y+c_2=0$  to be parallel.
5. State A.S.A. criteria for similarity of triangles.
6. Find  $\cos\theta$  if  $\sec\theta = \frac{6}{7}$ .
7. Write the formula to find the T.S.A. of cylinder.

**II. Answer the following.**

**5X2=10**

8. Divide the line segment PQ=7cm in the ratio 1:2 .
9. Find the sum of A.P.  $1+4+7+ \dots +100$ .
10. Solve  $3x+2y=6$  and  $5x-3y=8$ .
11. Find the midpoint of the points (-3, 5) and (3, -3).
12. Solve using quadratic formula  $x^2+6x-30=0$ .

**II. Answer the following.**

**3X4=12**

13. Prove that, "The radius drawn at the point of contact is perpendicular to the tangent".
14. Draw less than ogive curve for following data.

CI	0-10	10-20	20-30	30-40	40-50	50-60
F	5	3	4	6	3	4

15. Calculate mean, median and mode for the following data distribution.

C-I	0-5	5-10	10-15	15-20	20-25
F	6	4	7	2	1

16. Construct two tangents to a circle of radius 4 cm which are inclined at an angle of  $65^\circ$ .

**III. Answer the following.**

**4X2=8**

17. Solve the following pair of linear equations in two variables by graphical method :  $2x + y = 5$  and  $3x - y = 5$ .
18. Construct a triangle of sides 3cm , 4 cm and 5 cm and then a triangle similar to it whose sides are  $\frac{3}{2}$  of the corresponding sides of the first triangle.

**IV. Answer the following.**

**4X2=8**

19. State and Prove, "Thales theorem".

**Probable date to conduct Date:02/04/2022**